

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
426	STD	.1500	.4000	0.525	0.275	5	.016"	40	63	7"
638	STD	.1500	2.8000	3.0833	0.4	3	1/64"	50	74	7"
8197	STD	.1500	2.8000	3.0833	0.275	6	1/64"	50	74	7"
639	STD	.1500	3.6000	3.75	0.4	3	1/64"	50	90	7"
8154	STD	.1570	.1570	0.25	0.257	5	1/64"	50	64	7"
529	STD	.2000	.1000	0.225	0.325	4	.020"	50	54	7"
8175	STD	.2000	.2000	0.3289	0.325	5	1/32"	55	50	7"
365	STD	.2000	.4000	0.5	0.5	3	1/64"	50	48	7"
227	STD	.2500	.2500	0.375	0.35	6	1/64"	50	42	7"
382	STD	.2500	.2500	0.35	0.325	7	1/32"	50	42	7"
8416	STD	.2500	.2500	0.375	0.7	4	.03125	55	51	7"
277	STD	.2500	.9000	1	0.375	2	1/32"	40	56	7"
321	STD	.2500	2.5000	2.625	0.375	10	1/16"	40	63	7"
8221	STD	.2750	.2750	0.4022	0.75	2	1/32"	50	74	7"
8120	STD	.2900	3.9000	4.083	0.5	4	1/32"	50	98	7"
8031	STD	.3000	.1000	0.2286	0.425	4	1/64"	50	64	7"
528	STD	.3000	.1500	0.275	0.425	4	.020"	50	55	7"
151	STD	.3000	.2600	0.375	0.4	5	1/16"	40	42	7"
46	STD	.3000	.2600	0.5	0.4	7	.04"	40	48	7"
8212	STD	.3000	.2600	0.375	0.1	4	1/16"	50	51	7"
342	STD	.3100	.2650	0.5	0.41	7	.0468"	50	48	7"
91	STD	.3400	.4400	0.625	0.44	5	1/16"	50	50	7"
131	STD	.3500	.3500	0.5	0.47	5	1/32"	40	44	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
375	STD	.3500	.8000	0.9286	0.475	2	1/32"	40	52	7"
486	STD	.3540	1.9680	2.0938	0.5	4	1/8"	50	67	7"
458	STD	.3750	.2500	0.375	0.5	3	1/32"	40	54	7"
381	STD	.3750	.3750	0.475	0.437	7	1/32"	50	57	7"
8220	STD	.3750	.3750	0.5	0.5	3	1/32"	55	64	7"
8280	STD	.3750	.3750	0.5	0.5	3	1/32"		64	7"
8371	STD	.3750	.3750	0.625	1	2	.0625	40	50	7"
8380	STD	.3750	.3750	0.5	0.75	2	.03125	50	64	7"
8262	STD	.3750	.9000	1.0417	0.5	4	1/32"	50	50	7"
490	STD	.3750	1.0000	1.125	0.5	4	1/16"	40	54	7"
8181	STD	.3750	1.0000	1.125	0.5	4	1/64"	50	99	13"
8400	STD	.3750	1.7500	1.875	0.5	4	.0469	40	90	13"
8136	STD	.3750	5.0000	5.125	0.5	4	1/32"	50	82	13"
8205	STD	.3750	6.3750	6.5	0.5	3	1/16"	50	104	13"
152	STD	.3800	.3500	0.5	0.48	4	1/16"	40	44	7"
598	STD	.3800	3.5000	3.625	0.505	4	1/64"	50	58	7"
424	STD	.3937	.3937	0.5	0.4937	6	1/16"	50	52	7"
8060	STD	.3937	.3937	0.5	0.5	4	1/16"	50	64	7"
176	STD	.3937	4.8976	5	0.5187	3	1/16"	50	80	7"
8318	STD	.4000	.4000	0.5313	0.525	4	0.0625	50	51	7"
531	STD	.4200	.3300	0.4554	0.545	3	.08"	50	51	7"
8190	STD	.4331	.4331	0.5625	1	2	1/64"	50	54	7"
8104	STD	.4380	.2500	0.375	0.563	2	1/64"	50	99	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
148	STD	.4400	.3800	0.5	0.54	4	1/16"	40	44	7"
45	STD	.4500	.4500	0.6875	0.51	5	.04"	40	55	7"
138	STD	.4500	2.1250	2.25	0.575	3	1/16"	40	54	7"
8316	STD	.4720	.9840	1.125	0.597	4	0.0625	50	54	7"
8174	STD	.4727	.3937	0.5208	0.5974	5	1/32"	55	50	7"
8226	STD	.4800	.3800	0.506	0.605	2	1/32"	55	85	13"
8305	STD	.4920	.3150	0.4405	0.617	3	.03125	50	74	7"
8259	STD	.5000	.1870	0.3125	0.625	3	1/32"	55	50	7"
28	STD	.5000	.2500	0.375	0.6	3	1/16"	50	42	7"
8265	STD	.5000	.2500	0.375	0.625	6	1/16"	40	54	7"
8004	STD	.5000	.2750	0.4	0.625	3	1/64"	50	64	7"
8233	STD	.5000	.3500	0.4808	0.625	3	1/32"	50	50	7"
8238	STD	.5000	.3750	0.5	0.625	2	1/32"	50	64	7"
379	STD	.5000	.4370	0.5375	0.662	5	1/32"	40	43	7"
544	STD	.5000	.5000	0.625	0.625	3	1/32"	50	50	7"
8337	STD	.5000	1.0000	1.125	0.625	4	0.0625	40	54	7"
8339	STD	.5000	1.0000	1.125	0.75	6	0.0625	40	54	7"
8346	STD	.5000	1.0000	1.125	0.75	5	0.0625	40	54	7"
398	STD	.5000	1.5000	1.625	0.625	2	1/8"	40	52	7"
8085	STD	.5000	1.7500	2	0.625	4	1/32"	50	64	7"
20	STD	.5000	2.0000	2.125	0.6	3	1/16"	50	51	7"
8264	STD	.5000	2.0000	2.125	0.6	3	1/16"	40	51	7"
21	STD	.5000	2.7500	2.85	0.6	3	1/16"	50	46	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
414	STD	.5000	3.5000	3.625	0.625	4	1/32"	40	58	7"
405	STD	.5000	3.7500	3.875	0.625	2	1/16"	40	62	7"
279	STD	.5000	4.0000	4.125	0.625	2	1/16"	40	66	7"
8279	STD	.5000	5.0000	5.125	0.625	6	1/16"	50	82	13"
149	STD	.5500	.5500	0.6875	0.65	3	1/16"	40	44	7"
8022	STD	.5500	.5500	0.7273	0.675	2	1/16"	50	64	7"
8249	STD	.5500	.5500	0.6875	0.65	3	1/16"	40	99	13"
8223	STD	.5511	.2362	0.3636	0.6761	6	1/32"	50	64	7"
8041	STD	.5700	.2500	0.381	0.695	3	1/64"	50	64	7"
94	STD	.5900	.3550	0.5	0.715	3	1/16"	40	48	7"
412	STD	.5906	.3937	0.5208	0.7155	3	1/32"	50	50	7"
170	STD	.5906	.9842	1.0625	0.7155	4	1/16"	50	51	7"
595	STD	.5906	4.3307	4.5	0.7156	3	1/16"	50	72	7"
150	STD	.6000	.2200	0.375	0.7	3	1/16"	40	42	7"
18	STD	.6000	.4000	0.5	0.7	3	1/16"	50	48	7"
8336	STD	.6000	.9200	1.0625	0.725	2	.03	50	51	7"
8129	STD	.6082	.5570	0.7206	1	2	.76mm	50	98	13"
473	STD	.6200	.5400	0.667	0.745	2	1/16"	50	64	7"
8331	STD	.6220	.6220	0.75	0.747	3	.0625	50	54	830 7"
8350	STD	.6220	.6220	0.75	0.747	3	0	50	54	7"
8116	STD	.6250	.5000	0.625	0.75	4	1/16"	40	85	13"
162	STD	.6250	1.0000	1.125	0.75	3	1/16"	40	54	7"
8045	STD	.6299	10.3937	10.625	0.7549	4	1/64"	40	85	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
383	STD	.6500	.2000	0.3	0.7	4	1/32"	50	48	7"
627	STD	.6500	.2000	0.3	0.85	3	1/32"	55	48	7"
8423	STD	.6500	.2000	0.329	0.75	3	.03125	55	50	7
499	STD	.6500	.2500	0.375	0.775	2	3/64"	50	51	7"
8008	STD	.6500	.4000	0.5333	0.775	2	1/64"	50	64	7"
574	STD	.6500	8.0000	8.125	0.775	3	1/32"	50	65	7"
8148	STD	.6693	.4843	0.625	0.7943	2	1/32"	50	50	7"
8288	STD	.6700	.3200	0.4808	0.795	2	1/16"	50	50	7"
587	STD	.6875	4.0000	4.125	0.8125	3	1/32"	50	66	7"
589	STD	.6890	5.7500	5.875	0.814	4	1/16"	50	94	7"
8001	STD	.7000	.3750	0.5	0.825	2	1/32"	50	64	7"
8232	STD	.7000	.4500	0.5795	0.825	2	1/32"	50	51	7"
102	STD	.7000	.5000	0.625	0.825	3	1/16"	40	45	7"
396	STD	.7000	.5000	0.625	0.825	3	1/16"	50	65	7"
475	STD	.7000	1.0250	1.15	0.825	2	1/16"	50	46	7"
8155	STD	.7087	.8660	1	0.8336	2	1/32"	50	64	7"
8003	STD	.7087	.3543	0.4706	0.8337	2	1/64"	50	64	7"
8372	STD	.7480	.7087	0.84375	0.873	3	.0629	50	54	7"
8110	STD	.7480	2.1650	2.4	0.873	3	1/8"	50	96	13"
8171	STD	.7500	.1250	0.25	0.875	2	1/64"	50	50	7"
115	STD	.7500	.2500	0.375	0.875	4	1/16"	40	42	7"
380	STD	.7500	.2500	0.35	0.8	4	1/32"	40	56	7"
8051	STD	.7500	.2500	0.375	0.875	4	1/16"	50	99	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
441	STD	.7500	.5000	0.625	0.875	3	1/16"	50	50	7"
346	STD	.7500	.7500	0.875	0.875	2	1/16"	40	49	7"
555	STD	.7500	.7500	0.875	0.875	2	1/16"	50	49	7"
8209	STD	.7500	1.0000	1.125	0.875	2	1/16"	50	54	7"
391	STD	.7500	1.5000	1.625	0.875	4	1/16"	40	52	7"
192	STD	.7500	2.0000	2.125	0.875	4	1/16"	40	51	7"
238	STD	.7500	2.3600	2.5	0.875	4	1/16"	40	60	7"
653	STD	.7500	2.5000	2.625	0.875	4	1/16"	50	63	7"
179	STD	.7500	3.0000	3.125	0.875	6	1/64"	50	50	7"
569	STD	.7500	3.5000	3.625	0.875	2	1/16"	50	58	7"
8128	STD	.7500	3.5000	3.625	0.875	2	1/16"	50	87	13"
338	STD	.7500	4.5000	4.625	0.875	3	1/16"	40	74	7"
341	STD	.7500	5.0000	5.125	0.875	3	1/16"	40	82	7"
570	STD	.7500	5.5000	5.625	0.875	3	1/16"	40	45	7"
386	STD	.7500	8.0000	8.125	0.875	2	1/16"	50	65	7"
206	STD	.7650	.3350	0.4375		1	1/32"	50	42	7"
8309	STD	.7800	.7800	0.9107	0.905	2	.03125	50	51	7"
522	STD	.7870	.3150	0.4464	0.9124	3	1/16"	50	50	7"
8186	STD	.7874	.1575	0.2841	0.9124	2	1/32"	50	50	7"
8152	STD	.7874	.1969	0.32	0.9124	2	1/64"	50	64	7"
8014	STD	.7874	.9843	1.1429	0.9124	4	1/16"	50	64	7"
8073	STD	.7874	1.5748	1.7708	0.9124	3	1/32"	50	85	13"
417	STD	.7874	.3150	0.4464285		1	1/16"	50	50	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
241	STD	.7874	2.1260	2.25	0.9124015	4	3/64"	50	54	7"
377	STD	.8000	.3500	0.4779		1	1/32"	40	65	7"
8033	STD	.8000	.5000	0.6667	0.925	4	1/32"	50	64	7"
8335	STD	.8350	1.0000	1.125	0.96	2	.062	50	90	13"
8334	STD	.8390	.9450	1.0875	0.964	2	.060	50	87	13"
8007	STD	.8500	.4350	0.435	0.975	2	1/64"	50	64	7"
229	STD	.8750	.2500	0.375	1	2	3/64"	40	45	7"
305	STD	.8750	.2500	0.375	1	2	3/64"	50	48	7"
368	STD	.8750	.3750	0.5	1	2	1/16"	50	52	7"
53	STD	.8750	.8750	1	1	3	1/8"	40	48	7"
122	STD	.8750	1.2500	1.375	1	3	1/16"	40	44	7"
8410	STD	.8750	1.2500	1.375	1	4	.0625	40	99	13"
103	STD	.8750	1.5000	1.625	1	2	1/16"	40	52	7"
8011	STD	.8750	2.5000	2.67	1	4	1/16"	40	64	7"
121	STD	.8750	2.8750	3		1	1/8"	40	48	7"
344	STD	.9000	.1250	0.25	1.025	2	1/32"	50	50	7"
8219	STD	.9000	.2500	0.375	1.025	2	1/16"	50	51	7"
86	STD	.9000	.5000	0.625	1.025	3	1/16"	50	50	7"
8151	STD	.9000	5.2500	5.438	1.025	3	1/16"	50	87	13"
8153	STD	.9000	5.2500	5.4375	1.025	4	1/16"	50	87	13"
8030	STD	.9063	.3750	0.5	1.0312	2	1/32"	50	64	7"
413	STD	.9250	2.5000	2.625	1.025	4	1/32"	50	63	7"
407	STD	.9300	.2000	0.325	1.055	2	1/64"	40	52	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
427	STD	.9300	.2500	0.375	1.055	2	.016"	40	54	7"
8281	STD	.9300	.2500	0.375	1.055	2	.016"	50	54	7"
76	STD	.9375	.9375	1.0625	1.0375	4	1/16"	40	51	7"
500	STD	.9390	.7500	0.875	1.064	2	1/16"	50	56	7"
8034	STD	.9806	.3750	0.5	1.1056	2	1/32"	50	64	7"
8327	STD	.9842	.4724	0.6029	1.1092	5	.0625	40	82	13"
8326	STD	.9842	1.6141	1.75	1.1092	4	.0625	50	56	7"
532	STD	.9842	3.9370	4.0625	1.1092	3	.078"	50	65	7"
577	STD	.9842	4.3307	4.5	1.1092	3	.1181"	50	72	7"
190	STD	1.0000	.1250	0.25	1.125	2	1/32"	40	44	7"
335	STD	1.0000	.1250	0.25	1.1	2	1/32"	50	50	7"
450	STD	1.0000	.1800	0.25	1.125	2	1/16"	50	49	7"
369	STD	1.0000	.2500	0.375	1.125	2	1/32"	50	51	7"
575	STD	1.0000	.2500	0.375	1.125	2	1/32"	40	51	7"
8393	STD	1.0000	.2500	0.375	1.125	6	.03125	40	51	7"
8050	STD	1.0000	.3750	0.5	1.125	2	1/16"	40	64	7"
400	STD	1.0000	.5000	0.625	1.125	3	1/8"	50	50	7"
5016	STD	1.0000	.5000	0.667	1.09375	7	7/64"	50	96	10"
70	STD	1.0000	.5000	0.625	1.125	3	1/16"	40	50	7"
8165	STD	1.0000	.5000	0.875	1.25	3	1/16" CR PB	40	56	7"
8117	STD	1.0000	.5620	0.6875	1.125	2	.030"	50	99	13"
302	STD	1.0000	.7500	0.875	1.125	2	1/16"	40	56	7"
8052	STD	1.0000	.7500	0.875	1.125	2	1/16"	40	98	13"



**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8079	STD	1.0000	.7500	0.875	1.125	2	1/16"	50	98	13"
472	STD	1.0000	.8000	0.925	1.125	2	1/16"	50	74	7"
8035	STD	1.0000	.9000	1	1.125	2	1/16"	50	64	7"
537	STD	1.0000	1.0000	1.125	1.125	4	1/16"	50	54	7"
72	STD	1.0000	1.0000	1.125	1.125	3	1/16"	40	54	7"
8042	STD	1.0000	1.0000	1.1429	1.125	4	1/16"	40	64	7"
8412	STD	1.0000	1.0000	1.125	1.125	4	0.0625	40	90	13"
8046	STD	1.0000	1.3750	1.5179	1.125	4	1/16"	40	85	13"
8061	STD	1.0000	1.4375	1.625	1.0625	3	1/16"	40	104	13"
8065	STD	1.0000	1.5000	1.625	1.125	2	1/16"	50	104	13"
423	STD	1.0000	1.7500	1.875	1.125	3	1/8"	40	60	7"
576	STD	1.0000	1.7500	1.875	1.125	2	1/8"	50	60	7"
464	STD	1.0000	2.0000	2.125	1.125	4	1/8"	40	51	7"
8377	STD	1.0000	2.6250	2.7813	1.125	4	.125	40	89	7"
163	STD	1.0000	2.7500	2.875		1	1/8"	40	46	7"
530	STD	1.0000	3.0000	3.125	1.125	3	1/8"	50	50	7"
97	STD	1.0000	3.0000	3.125	1.125	2	1/8"	40	50	7"
257	STD	1.0000	3.5000	3.625	1.125	4	1/16"	40	58	7"
8166	STD	1.0000	3.5000	3.625	1.125	4	1/8"	50	87	13"
8063	STD	1.0000	4.0000	4.125	1.125	2	1/8"	50	99	13"
8185	STD	1.0000	4.1250	4.3334	1.125	2	1/16"	50	104	13"
158	STD	1.0000	6.0000	6.125	1.125	3	1/8"	40	49	7"
233	STD	1.0000	8.0000	8.125	1.125	2	1/32"	50	65	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
456	STD	1.0000	10.0000	10.125	1.125	2	1/32"	50	81	7"
363	STD	1.0250	.2500	0.375	1.15	2	1/64"	40	48	7"
79	STD	1.0250	1.5000	1.625	1.15	2	1/8"	50	52	7"
78	STD	1.0250	3.1000	3.25	1.15	2	1/8"	50	52	7"
8296	STD	1.0320	.4380	0.5833	1.157	2	3/64"	50	56	7"
36	STD	1.0500	.2250	0.375		1	1/16"	50	48	7"
60	STD	1.0500	.4000	0.625		1	1/16"	50	45	7"
8143-A	STD	1.0630	.6299	0.7777	1.188	2	.0625	50	56	830
353	STD	1.0938	3.5000	3.65625		1	1/16"	40	117	7"
604	STD	1.0938	3.5000	3.625	1.2188	5	1/16"	40	58	7"
8019	STD	1.1000	.2500	0.381	1.225	2	1/32"	40	64	7"
8114	STD	1.1000	.3800	0.5	1.2	2	1/32"	50	64	7"
180	STD	1.1000	.7000	0.825		1	1/16"	50	66	7"
554	STD	1.1024	.7874	0.9107	1.2274	2	1/16"	50	51	7"
8162	STD	1.1024	.7874	0.9107	1.2274	2	1/16"	50	51	7"
559	STD	1.1024	5.7090	5.875	1.2274	2	5/64"	50	94	7"
350	STD	1.1200	.3800	0.5	1.245	2	1/32"	40	52	7"
8202	STD	1.1250	.6875	0.8173	1.25	2	1/8"	40	85	13"
8360	STD	1.1250	.6875	0.8173	1.25	4	.125	40	85	
113	STD	1.1250	.7500	0.875	1.25	2	1/16"	50	49	7"
8378	STD	1.1250	.8750	1	1.25	4	.125	40	64	7"
8235	STD	1.1250	1.7500	1.875	1.25	2	1/8"	50	90	13"
471	STD	1.1250	2.2500	2.375	1.25	2	.07"	40	57	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8200	STD	1.1810	.9842	1.125	1.306	2	1/16"	50	99	13"
169	STD	1.1811	3.1889	3.3333	1.3061	4	1/16"	50	50	7"
491	STD	1.1811	3.8976	4.0625	1.3061	2	.14"	50	65	7"
564	STD	1.1811	4.3307	4.5	1.3061	2	1/8"	50	72	7"
278	STD	1.1811	6.2598	6.375	1.375	4	1/16"	50	51	7"
348	STD	1.1875	.5000	0.625	1.3125	2	1/16"	50	50	7"
8217	STD	1.1875	1.4062	1.625	1.3125	2	.0781"	40	104	13"
8437	STD	1.1880	1.3750	1.5	1.313	3	.125	40	96	13"
41	STD	1.2000	.7500	0.875	1.3	2	1/16"	40	49	7"
8005	STD	1.2000	.7500	0.875	1.325	2	1/16"	50	98	13"
8164	STD	1.2205	.8661	1	1.3455	2	.1969"	50	56	7"
8039	STD	1.2500	.1800	0.3077		1	1/16"	50	64	7"
29	STD	1.2500	.2500	0.375		1	1/16"	50	42	7"
324	STD	1.2500	.2500	0.375		1	1/16"	50	51	7"
8392	STD	1.2500	.2500	0.375	1.375	4	.0625	40	51	7"
8383	STD	1.2500	.3750	0.5	1.375	2	.03125	50	64	7"
61	STD	1.2500	.4375	0.5625	1.375	3	1/16"	40	54	7"
272	STD	1.2500	.5000	0.625		1	1/16"	40	50	7"
8012	STD	1.2500	.5000	0.667	1.375	3	1/16"	40	64	7"
8070	STD	1.2500	.5000	0.625	1.375	3	1/16"	50	85	13"
260	STD	1.2500	.6250	0.75		1	1/16"	40	42	7"
454	STD	1.2500	.7500	0.875	1.375	2	1/16"	40	56	7"
8074	STD	1.2500	.7500	0.875	1.375	2	1/16"	50	98	13"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
444	STD	1.2500	.8750	1	1.375	2	1/16"	40	56	7"
461	STD	1.2500	.9000	1.03571	1.375	2	1/16"	40	58	7"
247	STD	1.2500	1.0000	1.125	1.375	2	5/64"	50	45	7"
394	STD	1.2500	1.1250	1.25	1.375	4	1/16"	40	50	7"
112	STD	1.2500	1.2500	1.375	1.375	2	1/16"	50	44	7"
395	STD	1.2500	1.7500	1.875	1.375	2	1/16"	40	60	7"
161	STD	1.2500	1.9375	2.0625	1.375	2	1/8"	40	66	7"
549	STD	1.2500	2.5000	2.625	1.375	2	1/32"	44	63	7"
670	STD	1.2500	2.7500	2.875	1.375	4	.125	40	69	7"
8361	STD	1.2500	10.0000	10.125	1.375	4	.125	50	81	
168	STD	1.2598	2.2480	2.375	1.3848	4	1/16"	50	76	7"
8273	STD	1.2598	2.3598	2.5	1.3848	4	1/32"	40	100	13"
8357	STD	1.2950	1.7800	1.8929	1.42	2	.0512	50	106	13"
308	STD	1.3200	1.1700	1.3	1.445	2	.10"	40	52	7"
8009	STD	1.3300	.7700	0.8889	1.455	2	1/16"	50	64	7"
92	STD	1.3400	.7900	0.9375	1.465	3	1/16"	40	60	7"
590	STD	1.3543	5.9134	6.0625	1.4793	3	1/16"	50	97	7"
579	STD	1.3583	5.7500	5.875	1.4833	2	1/8"	50	94	7"
98	STD	1.3650	.4800	0.625	1.49	2	1/16"	40	45	7"
8059	STD	1.3750	.2500	0.375		1	1/32"	50	99	13"
497	STD	1.3750	.6250	0.75	1.5	2	1/16"	50	48	7"
8251	STD	1.3750	.6250	0.75	1.5	2	.0625	50	54	7
8278	STD	1.3750	.6250	0.75	1.5	2	1/16"	50	54	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
494	STD	1.3750	.6875	0.8125	1.5	2	1/16"	40	52	7"
8071	STD	1.3750	1.0000	1.125	1.5	2	1/16"	50	99	13"
8025	STD	1.3750	1.2000	1.333	1.5	2	1/16"	50	64	7"
23	STD	1.3750	1.3750	1.5	1.5	2	1/8"	40	48	7"
8299	STD	1.3750	3.5000	3.625	1.625	2	1/8"	40	87	13"
292	STD	1.3780	3.1889	3.33333	1.5029527	4	1/16"	50	80	7"
8002	STD	1.3800	.2760	0.4		1	3/64"	50	64	7"
139	STD	1.3800	4.8900	5	1.505	2	1/16"	40	80	7"
74	STD	1.3900	.4000	0.5	1.515	2	1/8"	50	40	7"
8089	STD	1.4100	.9700	1.091		1	1/16"	50	96	13"
609	STD	1.4173	.5118	0.6375		1	1/16"	50	51	7"
617	STD	1.4173	.5118	0.6375	1.5423	2	1/16"	50	51	7"
307	STD	1.4200	.8900	1.015625	1.545	2	.10"	40	65	7"
306	STD	1.4200	1.6000	1.725	1.545	2	.10"	40	69	7"
8053	STD	1.4370	.8000	0.9286		1	1/16"	40	104	13"
116	STD	1.4370	5.0000	5.125	1.5625	3	1/8"	40	82	7
5003	STD	1.4370	5.0000	5.125	1.5625	6	1/8"	40	123	13"
5006	STD	1.4375	2.6250	2.75	1.5625	5	1/8"	63	88	13"
68	STD	1.4375	5.0000	5.125	1.5625	4	1/8"	43	82	7"
7000	STD	1.4375	5.0000	5.125	1.5625	6	1/8"	40	82	13"
177	STD	1.4375	6.0000	6.125	1.5	2	1/8"	40	49	7"
367	STD	1.4566	.5984	0.75		1	1/16"	40	48	7"
351	STD	1.4566	.8070	0.9375	1.5816	2	1/16"	50	60	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8088	STD	1.4567	.3937	0.52	1.5817	2	.0393"	40	104	13"
603	STD	1.4567	3.0000	3.125	1.5817	2	7/64"	50	50	7"
8239	STD	1.4800	.5800	0.7084	1.605	2	1/16"	50	51	7"
355	STD	1.4960	1.0629	1.2	1.621	2	1/16"	50	48	7"
8333	STD	1.4961	.7087	0.8438	1.6211	2	.0625	50	81	13"
8163	STD	1.5000	.1875	0.3125		1	1/32"	55	50	7"
373	STD	1.5000	.2500	0.375		1	1/16"	50	48	7"
255	STD	1.5000	.3000	0.5	1.625	2	1/16"	40	44	7"
8224	STD	1.5000	.3750	0.5	1.625	2	1/8"	50	64	7"
48	STD	1.5000	.5000	0.625	1.625	2	1/16"	42	45	7"
56	STD	1.5000	.5000	0.625		1	1/64"	50	50	7"
8066	STD	1.5000	.5000	0.625	1.625	3	1/32"	50	85	13"
8078	STD	1.5000	.5000	0.625		1	1/16"	40	85	13"
8283	STD	1.5000	.5000	0.625	1.625	2	1/64"	50	50	7"
172	STD	1.5000	.7500	0.875	1.625	3	1/16"	40	56	7"
22	STD	1.5000	.7500	0.875	1.625	2	1/16"	40	42	7"
51	STD	1.5000	.7500	0.875	1.625	2	1/16"	40	49	7"
8044	STD	1.5000	.7500	0.8889		1	1/32"	50	64	7"
8176	STD	1.5000	.7500	1	1.625	2	1/64"	90	64	7"
332	STD	1.5000	.8750	1	1.625	2	1/16"	40	48	7"
17	STD	1.5000	1.0000	1.125	1.75	2	1/8"	40	45	7"
210	STD	1.5000	1.0000	1.125	1.625	4	1/8"	40	54	7"
453	STD	1.5000	1.0000	1.125	1.75	2	1/8"	50	54	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
506	STD	1.5000	1.0000	1.125	1.625	2	1/8"	50	54	7"
644	STD	1.5000	1.0000	1.125	1.625	2	1/8"	15	54	7"
8408	STD	1.5000	1.0000	1.375	1.625	4	.125	40	99	13"
8091	STD	1.5000	1.1180	1.3333	1.625	2	1/8"	50	64	7"
290	STD	1.5000	1.1875	1.3125	1.625	3	1/8"	40	63	7"
434	STD	1.5000	1.2500	1.375	1.625	2	1/16"	40	55	7"
107	STD	1.5000	1.5000	1.625	1.625	3	1/8"	40	52	7"
141	STD	1.5000	2.0000	2.125	1.625	2	1/8"	40	51	7"
8391	STD	1.5000	2.5000	2.65625	1.625	6	.125	40	85	13"
114	STD	1.5000	3.0000	3.125	1.625	2	1/16"	50	50	7"
250	STD	1.5000	4.0000	4.125	1.625	2	1/8"	40	66	7"
8298	STD	1.5000	4.0000	4.125	1.625	2	1/8"	50	99	13"
489	STD	1.5000	5.0000	5.125	1.645	2	.09"	50	82	7"
8324	STD	1.5000	5.0000	5.125	1.625	4	.125	40	82	13"
166	STD	1.5000	6.0000	6.125	1.625	4	1/8"	40	49	7"
63	STD	1.5000	6.5000	6.625	1.625	3	1/8"	40	53	7"
258	STD	1.5000	7.0000	7.125	1.625	2	1/8"	40	57	7"
534	STD	1.5000	11.0000	11.125	1.625	4	1/8"	40	89	7"
665	STD	1.5000	11.0000	11.125	1.625	3	.125	50	89	7"
8173	STD	1.5000	11.0000	11.125	1.625	4	1/8"	50	89	7"
8182	STD	1.5354	2.4803	2.6563	1.6604	2	1/32"	50	85	13"
8440	STD	1.5620	4.9375	5.0625	1.687	2	0.090	55	81	13
8024	STD	1.5625	.5625	0.7273	1.6875	2	1/32"	40	64	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
580	STD	1.5630	2.1250	2.25	1.688	2	1/16"	40	54	7"
8351	STD	1.5748	.5906	0.75	1.6998	1	.1252	50	54	7"
178	STD	1.5748	.7480	0.875		1	1/32"	50	42	7"
8150	STD	1.5748	3.7401	4	1.6998	2	1/16"	40	64	7"
513	STD	1.5748	4.1339	4.3125	1.6998	2	1/8"	50	69	7"
360	STD	1.5748	4.7244	4.875	1.6998	4	1/8"	50	78	7"
8303	STD	1.5748	5.5100	5.625	1.6998	2	.125	50	90	13"
329	STD	1.5748	2.8740	3	1.6998	4	1/8"	50	72	7"
384	STD	1.5780	.4800	0.625		1	1/32"	50	50	7"
80	STD	1.6250	.3000	0.4		1	1/16"	50	48	7"
32	STD	1.6250	.6250	0.75	1.75	2	1/16"	40	48	7"
459	STD	1.6250	.7500	1	1.75	2	1/8"	50	56	7"
437	STD	1.6250	.9375	1.0625		1	1/16"	50	68	7"
44	STD	1.6250	1.1250	1.25	1.75	2	1/8"	40	50	7"
566	STD	1.6250	1.1250	1.25	1.75	2	1/8"	50	50	7"
492	STD	1.6250	1.2500	1.375	1.75	2	1/8"	40	55	7"
8376	STD	1.6250	1.3120	1.4464	1.75	3	.125	40	81	13"
8027	STD	1.6250	1.4500	1.6		1	1/16"	50	64	7"
99	STD	1.6250	2.0000	2.125	1.75	2	1/8"	40	51	7"
326	STD	1.6250	5.0000	5.125	1.75	2	1/8"	40	82	7"
328	STD	1.6250	9.2500	9.375	1.75	2	1/8"	40	75	7"
37	STD	1.6500	.4000	0.625		1	1/16"	50	50	7"
16	STD	1.6500	.5500	0.75		1	1/16"	50	48	7"



## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
204	STD	1.6500	.8000	0.9125		1	1/32"	40	74	7"
478	STD	1.6500	7.3300	7.5	1.775	2	1/8"	50	60	7"
8198	STD	1.6535	1.6535	1.7857	1.7785	2	1/16"	50	100	13"
197	STD	1.6800	.6600	0.8125		1	1/32"	50	52	7"
432	STD	1.6875	1.6875	1.8125	1.8125	2	1/16"	50	58	7"
205	STD	1.7000	1.8000	1.925		1	1/8"	50	77	7"
8300	STD	1.7500	.0938	1.0625	1.875	2	1/16"	50	51	7"
47	STD	1.7500	.2000	0.325		1	1/16"	50	52	7"
35	STD	1.7500	.2500	0.5		1	1/16"	50	48	7"
357	STD	1.7500	.2500	0.375	1.875	2	1/16"	40	48	7"
24	STD	1.7500	.4000	0.625		1	1/16"	50	45	7"
129	STD	1.7500	.5000	0.625		1	1/16"	40	45	7"
553	STD	1.7500	.5000	0.625		1	1/8"	50	50	7"
8055	STD	1.7500	.5000	0.625	1.875	3	1/16"	40	85	13"
8242	STD	1.7500	.5000	0.625	1.875	4	1/8"	50	100	13"
261	STD	1.7500	.7500	0.875	1.875	2	1/16"	40	63	7"
504	STD	1.7500	.7500	0.875	1.875	2	1/16"	50	56	7"
438	STD	1.7500	.8500	0.9821		1	1/16"	50	55	7"
195	STD	1.7500	.8750	1	1.875	2	1/16"	40	48	7"
187	STD	1.7500	.9375	1.0625	1.875	2	1/16"	40	51	7"
8323	STD	1.7500	.9375	1.0625	1.875	2	0.0625	40	51	7"
8056	STD	1.7500	1.1250	1.3334		1	1/16"	50	64	7"
501	STD	1.7500	1.2500	1.375	1.875	3	1/16"	50	55	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
171	STD	1.7500	1.5000	1.625	1.875	2	1/8"	40	65	7"
226	STD	1.7500	1.7500	1.875	1.875	2	1/16"	40	45	7"
495	STD	1.7500	2.0000	2.125		1	1/8"	50	51	7"
8119	STD	1.7500	3.7500	4	1.875	2	1/8"	40	64	7"
8362	STD	1.7500	3.9400	4.0833	1.875	2	.125	40	98	13"
524	STD	1.7500	4.0000	4.125	1.875	2	1/8"	50	66	7"
8368	STD	1.7500	4.0000	4.125	1.875	3	.125	40	99	13"
159	STD	1.7500	4.7500	4.875	1.875	2	1/8"	40	78	7"
8067	STD	1.7500	6.0000	6.125	1.875	2	1/16"	50	98	13"
8069	STD	1.7500	6.0000	6.125	1.875	2	1/8"	50	98	13"
376	STD	1.7500	6.5000	6.625	1.875	2	1/32"	40	53	7"
565	STD	1.7500	6.5000	6.625	1.875	2	1/32"	50	53	7"
403	STD	1.7500	7.0000	7.125	1.875	2	1/8"	50	57	7"
319	STD	1.7500	10.4000	10.625		1	1/8"	50	85	7"
237	STD	1.7500	11.0000	11.25	1.875	2	1/8"	40	90	7"
362	STD	1.7500	17.5000	17.625		1	1/8"	40	141	7"
629	STD	1.7700	1.7700	1.9		1	1/16"	40	76	7"
327	STD	1.7717	6.1024	6.375	1.8966535	2	1/8"	40	51	7"
8118	STD	1.7850	.1900	0.3077		1	.06"	50	64	7"
8029	STD	1.8125	.3750	0.5		1	1/32"	50	64	7"
8293	STD	1.8500	.6690	0.8	1.975	2	1/16"	40	64	7"
8170	STD	1.8500	2.9900	3.125		1	1/32"	50	50	7"
253	STD	1.8750	.3750	0.5	2	2	1/8"	40	40	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
431	STD	1.8750	.6250	0.75	2	2	1/16"	50	54	7"
8390	STD	1.8750	1.0000	1.125	2	2	.0625	50	81	13"
390	STD	1.8750	1.3750	1.5	2	2	1/8"	40	48	7"
108	STD	1.8750	1.6250	1.75		1	1/16"	40	56	7"
8147	STD	1.8898	.5905	0.7273		1	1/32"	50	64	7"
8356	STD	1.8900	1.8900	2.025	2.015	2	.0625	40	81	13"
567	STD	1.9000	4.9000	5.0625		1	1/16"	40	81	7"
8210	STD	1.9370	1.0630	1.25		1	1/8"	50	50	7"
436	STD	1.9375	1.1875	1.3125		1	1/16"	50	63	7"
8236	STD	1.9500	.9500	1.0875	2.075	2	1/8"	50	87	13"
385	STD	1.9680	.4800	0.625		1	1/32"	50	50	7"
8435	STD	1.9685	.6299	0.8	2.0935	1	0.1181	55	64	7"
8199	STD	1.9685	.9842	1.125	2.0935	2	1/16"	50	99	13"
8196	STD	1.9685	1.9685	2.125	2.0935	2	1/16"	50	85	13"
248	STD	2.0000	.1750	0.3125		1	1/64"	50	45	7"
256	STD	2.0000	.2500	0.375		1	1/32"	40	42	7"
8156	STD	2.0000	.3750	0.5		1	1/8"	50	64	7"
19	STD	2.0000	.4000	0.625		1	1/16"	50	45	7"
38	STD	2.0000	.4000	0.8		1	1/16"	50	64	7"
26	STD	2.0000	.5000	0.625		1	1/16"	40	45	7"
8405	STD	2.0000	.5000	0.625	2.125	2	0.625	40	85	13"
196	STD	2.0000	.5625	0.625		1	1/16"	40	40	7"
404	STD	2.0000	.6250	0.75		1	1/16"	40	54	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8426	STD	2.0000	.6300	0.7708	2.125	1	0.625	55	74	7"
8049	STD	2.0000	.6750	0.8	2.125	2	1/32"	50	64	7"
222	STD	2.0000	.7500	0.875		3	1/16"	40	49	7"
309	STD	2.0000	.7500	0.875		1	1/16"	50	49	7"
8054	STD	2.0000	.7500	0.875	2.125	5	1/16"	50	98	13"
8113	STD	2.0000	.7500	0.875	2.125	2	1/16"	40	98	13"
8354	STD	2.0000	.7500	1.375	2.625	1	.125	40	99	13"
84	STD	2.0000	.7500	0.875	2.125	2	1/16"	40	49	7"
8026	STD	2.0000	.8750	1	2.125	3	3/32"	40	64	7"
8062	STD	2.0000	.8750	1	2.125	2	1/16"	50	64	7"
8145	STD	2.0000	.8750	1	2.125	5	3/32"	40	104	13"
12	STD	2.0000	1.0000	1.125	2.125	2	1/8"	40	54	7"
419	STD	2.0000	1.0000	1.125	2.125	2	1/16"	50	54	7"
8131	STD	2.0000	1.0000	1.25	2.0937	2	1/16"	50	50	7"
8253	STD	2.0000	1.0000	1.125	2.125	3	1/8"	50	99	13"
8274	STD	2.0000	1.0000	1.125	2.125	5	1/8"	40	99	13"
8365	STD	2.0000	1.0000	1.25	2.0937	2	.0625	40	50	7"
8409	STD	2.0000	1.0000	1.375	2.125	3	.125	40	99	13"
90	STD	2.0000	1.2500	1.375	2.125	2	1/8"	40	55	7"
42	STD	2.0000	1.5000	1.625	2.125	2	1/16"	40	52	7"
482	STD	2.0000	1.8750	2	2.125	3	1/8"	40	64	7"
242	STD	2.0000	2.0000	2.125	2.125	2	1/8"	40	51	7"
244	STD	2.0000	2.0000	2.125	2.125	2	1/64"	50	51	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
5007	STD	2.0000	2.0000	2.125	2.125	6	1/8"	40	102	13"
8038	STD	2.0000	2.0000	2.125	2.125	2	1/64"	40	85	13"
583	STD	2.0000	2.7500	2.875	2.125	2	1/8"	40	69	7"
525	STD	2.0000	3.0000	3.125	2.125	2	1/8"	50	50	7"
535	STD	2.0000	3.0000	3.125	2.125	2	1/8"	40	50	7"
8	STD	2.0000	3.0000	3.125		1	1/8"	40	50	7"
8260	STD	2.0000	3.0000	3.125	2.125	2	1/8"	50	50	7"
8382	STD	2.0000	3.0000	3.125	2.125	3	.125	50	100	13"
671	STD	2.0000	3.1875	3.4375	2.125	2	.125	40	55	7"
88	STD	2.0000	3.3750	3.5	2.125	2	1/8"	40	56	7"
366	STD	2.0000	3.6250	3.75	2.125	2	1/8"	40	60	7"
154	STD	2.0000	4.0000	4.125	2.125	2	1/8"	40	66	7"
8282	STD	2.0000	4.0000	4.125	2.125	5	1/8"	40	99	13"
85	STD	2.0000	4.5000	4.625	2.125	2	1/8"	40	74	7"
249	STD	2.0000	5.0000	5.125	2.125	2	1/8"	40	82	7"
540	STD	2.0000	5.0000	5.125	2.125	2	1/8"	50	82	7"
8369	STD	2.0000	5.1300	5.3125	2.125	3	.125	40	85	13"
43	STD	2.0000	6.0000	6.125	2.125	2	1/8"	40	49	7"
8438	STD	2.0000	6.0000	6.125	2.125	2	.125	40	98	13"
8246	STD	2.0000	6.5000	6.625	2.125	5	1/8"	40	106	13"
65	STD	2.0000	7.0000	7.125	2.125	2	1/8"	50	57	7"
96	STD	2.0000	7.5000	7.625	2.125	2	1/8"	40	61	7"
339	STD	2.0000	8.0000	8.125		1	1/8"	40	65	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
608	STD	2.0000	8.0000	8.125	2.125	2	1/8"	50	65	7"
213	STD	2.0000	9.0000	9.125		1	1/8"	50	73	7"
619	STD	2.0000	10.0000	10.125	2.125	2	1/8"	50	81	7"
212	STD	2.0000	12.0000	12.125		1	1/8"	50	97	7"
563	STD	2.0000	12.0000	12.125	2.125	2	1/8"	50	97	7"
411	STD	2.0669	1.0000	1.125		1	1/16"	50	54	7"
487	STD	2.0669	1.0000	1.125	2.1919	2	1/16"	50	54	7"
130	STD	2.1000	1.2750	1.375		1	1/8"	40	55	7"
447	STD	2.1000	1.2750	1.375		1	1/8"	50	55	7"
8032	STD	2.1060	.5490	0.7083	2.106	1	1/8"	50	85	13"
8028	STD	2.1250	.6250	0.8		1	1/8"	50	64	7"
270	STD	2.1250	.7500	0.875		1	1/64"	40	56	7"
8201	STD	2.1250	1.0000	1.125	2.25	2	1/8"	40	99	13"
89	STD	2.1250	2.1250	2.25	2.25	2	1/8"	40	54	7"
77	STD	2.1250	3.1000	3.25		1	1/8"	50	52	7"
140	STD	2.1700	3.1900	3.3125	2.295	2	1/8"	50	53	7"
657	STD	2.2047	5.3543	5.5	2.3297	2	3/16"	50	88	7"
659	STD	2.2400	4.7200	4.875	2.365	2	1/8"	50	78	7"
81	STD	2.2500	.2500	0.375		1	1/16"	50	45	7"
282	STD	2.2500	.6200	0.75		1	1/16"	40	54	7"
349	STD	2.2500	.8125	1		1	1/16"	40	48	7"
455	STD	2.2500	1.0000	1.125	2.375	2	1/8"	40	54	7"
8140	STD	2.2500	1.0000	1.125	2.375	2	1/8"	40	99	13"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
560	STD	2.2500	1.1250	1.25		1	1/8"	40	60	7"
460	STD	2.2500	1.2500	1.375		1	1/8"	40	55	7"
7048	STD	2.2500	1.2500	1.375	2.375	4	1/8"	40	88	13"
8097	STD	2.2500	1.2500	1.375	2.375	2	1/8"	40	99	13"
8102	STD	2.2500	1.2500	1.375	2.375	2	1/8"	40	99	13"
8421	STD	2.2500	1.3800	1.5179	2.375	2	.125	40	85	13"
389	STD	2.2500	1.5000	1.625	2.375	2	1/8"	40	52	7"
8159	STD	2.2500	1.7500	1.8571		1	1/8"	50	104	13"
8057	STD	2.2500	1.8125	2		1	1/8"	50	64	7"
8338	STD	2.2500	1.8750	2	2.375	5	.125	40	96	
243	STD	2.2500	2.0000	2.125	2.375	2	1/8"	40	51	7"
474	STD	2.2500	2.2500	2.375	2.375	2	1/8"	40	57	7"
8086	STD	2.2500	2.2500	2.4	2.375	2	1/8"	50	96	13"
8184	STD	2.2500	2.2500	2.4		1	.030"	50	96	13"
406	STD	2.2500	2.5000	2.625	2.375	2	1/8"	40	63	7"
8366	STD	2.2500	3.2500	3.375	2.375	2	.125	40	81	13"
7018	STD	2.2500	4.0000	4.125	2.375	4	1/8"	40	99	13"
8304	STD	2.2500	6.2500	6.375	2.375	2	.125	40	51	7"
8267	STD	2.2500	6.8125	7	2.375	2	1/8"	50	56	7"
8320	STD	2.2500	7.0000	7.125	2.375	2	.125	40	114	13"
67	STD	2.2500	9.0000	9.125	2.375	2	1/8"	40	73	7"
592	STD	2.2500	10.7500	10.875	2.375	2	1/8"	40	87	7"
533	STD	2.2500	12.1250	12.25	2.375	2	1/8"	50	98	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
545	STD	2.2500	12.1250	12.25	2.375	2	1/64"	50	98	7"
416	STD	2.2835	2.1260	2.2916666		1	1/16"	50	55	7"
8321	STD	2.2948	2.5450	2.7188	2.4198	2	.125	40	87	13"
202	STD	2.3125	.7500	0.875	2.4375	2	3/8"	50	63	7"
371	STD	2.3228	1.5000	1.625		1	1/8"	50	52	7"
191	STD	2.3600	.3930	0.5		1	1/16"	40	44	7"
666	STD	2.3622	1.7717	1.9	2.4912	1	.1181	50	76	7"
634	STD	2.3622	2.3622	2.5	2.4872	2	.1181"	50	60	7"
562	STD	2.3750	.5000	0.625		1	1/32"	50	65	7"
397	STD	2.3750	1.0000	1.125		1	.07"	50	54	7"
331	STD	2.3750	1.1875	1.3125	2.5	2	1/8"	40	63	7"
8093	STD	2.3750	1.1880	1.3333		1	1/8"	50	64	7"
8414	STD	2.3750	1.6250	1.75	2.5	5	.125	40	98	13"
641	STD	2.3750	2.7500	2.875	2.5	2	1/8"	40	69	7"
8108	STD	2.3750	2.8750	3	2.5	2	1/8"	40	96	13"
218	STD	2.3750	3.0000	3.125	2.5	2	1/8"	50	50	7"
8015	STD	2.3750	10.3750	10.625	2.5	2	1/8"	50	85	13"
466	STD	2.3750	11.0000	11.125		1		40	89	7"
596	STD	2.3750	11.0000	11.125		1	1/8"	50	89	7"
614	STD	2.3750	11.0000	11.125	2.5	2	1/8"	50	89	7"
8230	STD	2.3750	11.0000	11.125	2.5	4	1/8"	50	89	13"
591	STD	2.4000	.5000	0.625		1	1/16"	50	50	7"
8092	STD	2.4350	.8750	1		1	.063"	50	64	7"



**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
291	STD	2.4375	.6875	0.8125	2.5625	2	.06"	40	52	7"
8178	STD	2.4375	8.0000	8.125	2.5625	2	.125	40	130	13"
517	STD	2.4800	1.7700	1.90625		1	1/16"	50	61	7"
425	STD	2.5000	.3750	0.5		1	1/16"	50	56	7"
185	STD	2.5000	.4375	0.5625		1	1/64"	50	54	7"
215	STD	2.5000	.4375	0.5		1	1/8"	40	40	7"
8139	STD	2.5000	.5000	0.625		1	1/16"	40	50	7"
71	STD	2.5000	.6250	0.75	2.625	2	1/16"	50	48	7"
8294	STD	2.5000	.6690	0.8	2.625	2	1/16"	40	64	7"
15	STD	2.5000	.7500	0.875	2.625	2	1/8"	40	49	7"
352	STD	2.5000	.7500	0.8125		1	1/32"	40	52	7"
602	STD	2.5000	.7500	0.875		1	1/8"	50	63	7"
7013	STD	2.5000	.7500	0.875	2.625	4	1/8"	40	98	13"
8240	STD	2.5000	.8750	1	2.625	2	1/16"	40	64	7"
83	STD	2.5000	.8750	1		1	1/16"	50	48	7"
216	STD	2.5000	1.0000	1.125	2.625	2	1/8"	40	45	7"
8072	STD	2.5000	1.0000	1.125		1	1/8"	50	99	13"
8096	STD	2.5000	1.0000	1.125	2.625	2	1/8"	50	99	13"
117	STD	2.5000	1.2500	1.375	2.625	2	1/8"	40	55	7
236	STD	2.5000	1.2500	1.5	2.625	2	1/8"	50	48	7"
667	STD	2.5000	1.2500	1.375	2.625	1	.125	40	55	7"
401	STD	2.5000	1.5000	1.625	2.625	2	1/16"	40	52	7"
678	STD	2.5000	1.5000	1.625	2.625	2	.0625	50	52	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
7024	STD	2.5000	1.5000	1.625	2.625	4	1/16"	40	91	13"
8077	STD	2.5000	1.5000	1.625	2.625	2	1/8"	50	104	13"
57	STD	2.5000	1.6250	1.75	2.625	2	1/8"	40	56	7"
289	STD	2.5000	1.9375	2	2.5625	2	1/8"	40	64	7"
50	STD	2.5000	2.0000	2.125	2.625	2	1/8"	40	51	7"
675	STD	2.5000	2.0000	2.125	2.625	2	.125	40	51	7"
631	STD	2.5000	2.1250	2.25		1	1/8"	40	54	7"
1	STD	2.5000	2.5000	2.625	2.625	2	1/8"	40	63	7"
668	STD	2.5000	2.5000	2.625	2.625	2	.125	50	63	7"
160	STD	2.5000	3.0000	3.125	2.625	2	1/8"	40	50	7"
8295	STD	2.5000	3.0000	3.125	2.625	3	1/8"	50	100	13"
10	STD	2.5000	3.7500	3.875	2.625	2	1/16"	40	62	7"
285	STD	2.5000	4.0000	4.125	2.625	2	1/8"	40	66	7"
118	STD	2.5000	4.5000	4.625	2.625	2	1/8"	40	74	7"
597	STD	2.5000	5.0000	5.125		1	1/8"	40	82	7"
8285	STD	2.5000	5.0000	5.125	2.625	2	1/8"	40	82	13"
615	STD	2.5000	5.5000	5.625		1	.12"	50	90	7"
194	STD	2.5000	6.0000	6.125	2.625	2	1/8"	40	49	7"
8016	STD	2.5000	6.0000	6.125	2.625	4	1/8"	50	98	13"
8254	STD	2.5000	6.0000	6.125	2.625	4	1/8"	40	98	13"
8284	STD	2.5000	7.0000	7.125	2.625	4	1/8"	40	114	13"
7029	STD	2.5000	8.0000	8.125	2.625	4	1/8"	40	130	13"
157	STD	2.5000	8.5000	8.625		1	1/8"	40	69	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
7045	STD	2.5000	8.5000	8.625	2.625	4	1/8"	40	138	13"
672	STD	2.5000	9.3750	9.5	2.625	2	.125	50	76	7"
245	STD	2.5000	9.7500	9.875	2.625	2	1/8"	40	79	7"
287	STD	2.5600	2.7600	2.875		1	.08"	40	69	7"
435	STD	2.5625	.2500	0.375		1	1/32"	40	51	7"
625	STD	2.5625	1.7500	1.875		1	1/8"	40	60	7"
571	STD	2.5984	2.5984	2.7188	2.7234	2	1/8"	40	87	7"
8319	STD	2.5984	2.5984	2.7188	2.7234	2	.125	40	87	13"
511	STD	2.6250	.5000	0.625		1	1/8"	50	55	7"
8229	STD	2.6250	1.2500	1.375	2.75	2	1/16"	40	99	13"
512	STD	2.6250	1.7500	2		1	1/8"	50	64	7"
8010	STD	2.6250	2.0000	2.45	2.75	2	1/8"	40	98	13"
311	STD	2.6250	2.2500	2.375	2.75	2	1/8"	40	57	7"
552	STD	2.6250	9.2500	9.375	2.75	2	1/8"	40	75	7"
301	STD	2.6400	.6000	0.725		1	.852"	40	58	7"
230	STD	2.6400	.6700	0.8125		1	1/16"	50	52	7"
516	STD	2.6500	1.1800	1.3125		1	1/16"	50	63	7"
343	STD	2.6500	2.2500	2.375		1	1/64"	40	57	7"
52	STD	2.6570	4.7500	4.875		1	1/16"	40	78	7"
49	STD	2.6570	4.8750	5		1	1/16"	42	80	7"
64	STD	2.6800	1.7700	2.28	2.87	2	1/8"	40	73	7"
8090	STD	2.6810	1.0000	1.125		1	.06"	50	99	13"
239	STD	2.6875	1.0625	1.1875	2.8125	2	1/8"	50	57	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
498	STD	2.6875	2.2500	2.375	2.8125	2	1/16"	50	57	7"
392	STD	2.7000	.6000	0.725		1	1/32"	40	58	7"
214	STD	2.7500	.9375	1		1	1/8"	40	40	7"
443	STD	2.7500	.9375	1.0625		1	1/8"	40	51	7"
336	STD	2.7500	1.2500	1.375	2.875	2	1/8"	50	55	7"
6	STD	2.7500	1.4375	1.5625	2.875	2	1/8"	40	50	7"
409	STD	2.7500	1.5000	1.625	2.875	2	1/8"	40	52	7"
480	STD	2.7500	1.7500	1.875		1	1/8"	40	60	7"
507	STD	2.7500	1.7500	1.875	2.875	2	1/8"	50	60	7"
536	STD	2.7500	2.0000	2.125	2.875	2	1/8"	50	51	7"
8203	STD	2.7500	2.0000	2.125		1	1/32"	50	85	13"
8427	STD	2.7500	2.0000	2.125	2.875	4	.125	40	85	13
8389	STD	2.7500	2.1250	2.25	2.875	4	.125	40	90	13"
632	STD	2.7500	2.2500	2.375		1	1/8"	50	57	7"
445	STD	2.7500	2.5000	2.625		1	1/8"	40	63	7"
147	STD	2.7500	2.7500	3	2.875	2	1/64"	40	48	7"
510	STD	2.7500	2.7500	2.875		1	1/16"	50	69	7"
8374	STD	2.7500	3.9375	4.083	2.875	2	.125	40	98	13"
637	STD	2.7500	4.2500	4.5		1	1/8"	50	72	7"
550	STD	2.7500	4.5000	4.625	2.875	2	1/8"	40	74	7"
174	STD	2.7500	6.0000	6.125		1	1/8"	40	49	7"
496	STD	2.7500	6.0000	6.125	2.875	2	1/8"	40	49	7"
7054	STD	2.7500	7.0000	7.125	2.875	4	1/16"	40	114	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
200	STD	2.7500	8.2500	8.375	2.875	2	1/64"	40	67	7"
8375	STD	2.7500	8.5000	8.625	2.875	4	.125	40	138	13"
8043	STD	2.7500	10.5000	10.625	2.875	2	1/8"	50	85	13"
303	STD	2.7500	12.0000	12.125	2.875	2	1/8"	40	97	7"
8332	STD	2.7559	1.5748	1.7083	2.7559	1	.125	50	82	13"
635	STD	2.7600	.5870	0.7125		1	.06"	50	57	7"
333	STD	2.7600	.6000	0.725		1	1/32"	50	58	7"
8020	STD	2.7600	.6000	0.7273	2.76	1	1/32"	50	64	7"
8168	STD	2.7850	3.0000	3.125		1	1/16"	50	50	7"
600	STD	2.8000	.4400	0.5682		1	1/16"	50	50	7"
8313	STD	2.8125	1.0625	1.2	2.8125	1	.125	50	96	13"
621	STD	2.8125	4.2500	4.375		1	1/8"	50	70	7"
654	STD	2.8700	4.7600	4.9375	2.995	2	1/8"	40	79	7"
656	STD	2.8700	4.7600	4.9375	2.995	2	1/8"	50	79	7"
8237	STD	2.8740	4.4880	4.625	2.999	2	1/8"	50	74	7"
8244	STD	2.8740	5.8740	6	2.999	4	1/32"	40	96	13"
556	STD	2.8740	6.1020	6.25		1	1/8"	50	50	7"
320	STD	2.8750	.7500	0.875		1	1/32"	50	56	7"
334	STD	2.8750	1.7500	1.875		1	1/8"	40	60	7"
8398	STD	2.8750	2.1250	2.25	3	2	.125	40	90	13"
558	STD	2.8750	10.5000	10.625	3	2	1/8"	50	85	7"
8425	STD	2.8800	1.7500	1.875	3.005	2	.125	40	90	13
186	STD	2.9100	.3100	0.4375		1	1/64"	50	49	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8245	STD	2.9130	4.4880	4.625	3.038	2	1/16"	40	74	7"
8355	STD	2.9375	4.9375	5.0625	3.0625	2	.125	40	81	13"
8169	STD	2.9527	.7874	0.9271		1	.0393"	55	89	7"
526	STD	2.9527	4.7637	4.9375	3.0777	2	1/8"	50	79	7"
286	STD	3.0000	.3750	0.5		1	1/16"	40	52	7"
323	STD	3.0000	.5000	0.625		1	1/32"	50	50	7"
421	STD	3.0000	.6250	0.75		1	1/16"	40	54	7"
8228	STD	3.0000	.6250	0.75	3.125	2	1/16"	40	54	7"
318	STD	3.0000	.7500	0.875		1	1/32"	40	56	7"
8216	STD	3.0000	.7500	0.875	3.125	2	1/32"	50	56	7"
155	STD	3.0000	1.0000	1.125	3.125	2	1/8"	50	54	7"
34	STD	3.0000	1.0000	1.125	3.125	2	1/8"	40	54	7"
557	STD	3.0000	1.0000	1.125		1	1/8"	50	54	7"
75	STD	3.0000	1.0000	1.125	3.125	2	1/8"	40	54	7"
457	STD	3.0000	1.1250	1.25	3.125	2	1/8"	40	50	7"
8098	STD	3.0000	1.1300	1.375		1	1/8"	50	99	13"
106	STD	3.0000	1.2500	1.375	3.125	2	1/8"	40	55	7"
137	STD	3.0000	1.5000	1.625	3.125	2	1/8"	40	65	7"
137-2	STD	3.0000	1.5000	1.625	3.125	2	.125	50	65	7"
428	STD	3.0000	1.5000	1.625		1	1/8"	50	65	7"
8436	STD	3.0000	1.5000	1.625	3.125	4	.125	50	104	13"
8177	STD	3.0000	1.6000	1.75		1	1/8"	50	56	7"
470	STD	3.0000	1.7500	2		1	1/8"	50	64	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
618	STD	3.0000	1.7500	1.875		1	1/8"	50	60	7"
125	STD	3.0000	1.8750	2		1	1/8"	40	64	7"
30	STD	3.0000	2.0000	2.125	3.125	2	1/8"	40	51	7"
448	STD	3.0000	2.0000	2.125	3.125	2	1/8"	50	51	7"
483	STD	3.0000	2.0000	2.25		1	1/8"	40	54	7"
647	STD	3.0000	2.0000	2.125		1	1/8"		51	7"
8127	STD	3.0000	2.0000	2.125		1	1/64"	40	85	13"
8206	STD	3.0000	2.0000	2.125	3.125	4	1/8"	40	85	13"
225	STD	3.0000	2.3750	2.5		1	1/8"	50	40	7"
543	STD	3.0000	2.5000	2.625		1	1/8"	50	63	7"
3	STD	3.0000	3.0000	3.125	3.125	2	1/8"	40	50	7"
541	STD	3.0000	3.0000	3.125	3.125	2	1/8"	50	50	7"
7023	STD	3.0000	3.0000	3.125	3.125	4	1/8"	40	100	13"
8370	STD	3.0000	3.0000	3.125	3.125	2	.125	40	50	7"
399	STD	3.0000	3.8750	4	3.125	2	1/4"	50	64	7"
271	STD	3.0000	4.0000	4.625		1	1/8"	40	74	7"
7010	STD	3.0000	4.0000	4.125	3.125	3	1/8"	40	99	13"
8387	STD	3.0000	4.0000	4.4167	3.125	2	.125	40	106	13"
100	STD	3.0000	4.5000	4.625	3.125	2	1/8"	40	74	7"
8340	STD	3.0000	4.5000	4.625	3.125	2	.125	40	74	7"
467	STD	3.0000	4.7500	5		1	1/8"	50	80	7"
508	STD	3.0000	4.8750	5	3.125	2	1/8"	50	80	7"
62	STD	3.0000	5.0000	5.125	3.125	2	1/8"	40	82	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
7020	STD	3.0000	5.0000	5.125	3.125	4	1/8"	40	123	13"
8037	STD	3.0000	5.0000	5.3125	3.125	2	1/64"	40	85	13"
8132	STD	3.0000	5.0000	5.125	3.125	4	1/8"	40	82	13"
8306	STD	3.0000	5.0000	5.125	3.125	2	.125	50	82	13"
361	STD	3.0000	6.0000	6.125	3.125	2	1/8"	40	49	7"
8310	STD	3.0000	6.0000	6.125	3.125	4	.125	40	98	13"
251	STD	3.0000	7.0000	7.125	3.125	2	1/8"	40	57	7"
585	STD	3.0000	7.0000	7.125	3.125	2	1/8"	50	57	7"
8381	STD	3.0000	7.8125	8	3.125	2	.125	40	64	7"
8183	STD	3.0000	7.8750	8	3.125	2	1/8"	40	64	7"
40	STD	3.0000	8.0000	8.125	3.125	2	1/8"	40	65	7"
539	STD	3.0000	8.0000	8.125	3.125	2	1/8"	50	65	7"
578	STD	3.0000	8.0000	8.125	3.125	2	1/8"	50	65	7"
628	STD	3.0000	8.7500	8.875		1	3/64"	40	71	7"
235	STD	3.0000	9.5000	9.625		1	1/8"	50	77	7"
8364	STD	3.0000	10.0000	10.125	3.125	2	.125	50	81	13"
39	STD	3.0000	11.0000	11.125		1	1/8"	50	89	7"
408	STD	3.0000	11.0000	11.125	3.125	2	1/8"	50	89	7"
649	STD	3.0000	11.0000	11.125	3.125	2	1/8"	50	89	7"
8204	STD	3.0000	11.0000	11.125	3.125	2	1/8"	40	89	7"
8218	STD	3.0000	11.0000	11.125	3.125	4	1/8"	40	89	13"
673	STD	3.0000	11.7500	11.875	3.125	2	.125	50	95	7"
643	STD	3.0000	12.0000	12.125	3.125	2	1/8"	50	97	7"



**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
221	STD	3.0000	17.0000	17.125	3.125	2	1/8"	50	137	7"
378	STD	3.0000	20.0000	20.125		1	1/8"	50	161	7"
624	STD	3.0625	3.5000	3.625		1	1/8"	40	58	7"
623	STD	3.0655	4.9212	5.0625		1	1/8"	40	81	7"
182	STD	3.1100	.6700	0.8125		1	1/32"	40	52	7"
515	STD	3.1250	1.6250	1.75		1	1/8"	50	56	7"
439	STD	3.1250	6.0000	6.125		1	1/8"	40	49	7"
8263	STD	3.1300	2.3800	2.5313		1	1/8"	50	81	13"
8187	STD	3.1496	.5591	0.6833	3.2746	2	1/16"	50	82	13"
8087	STD	3.1496	.9843	1.1136	3.2746	2	1/16"	50	98	13"
606	STD	3.1496	1.7717	1.875	3.2746	2	1/16"	55	60	7"
55	STD	3.1500	5.0000	5.125		1	1/8"	40	82	7"
8047	STD	3.2500	.3750	0.5		1	1/16"	40	64	7"
488	STD	3.2500	1.0000	1.125		1	1/8"	50	54	7"
228	STD	3.2500	1.2500	1.375		1	1/8"	50	44	7"
8064	STD	3.2500	1.4500	1.6		1	1/32"	50	64	7"
73	STD	3.2500	2.2500	2.375		1	1/8"	40	57	7"
8342	STD	3.2500	2.5000	2.6562	3.375	3	.125	40	85	13"
442	STD	3.2500	4.0000	4.125		1	1/8"	50	66	7"
8195	STD	3.2500	4.5000	4.625	3.375	2	1/8"	40	74	7"
658	STD	3.2500	4.8750	5	3.375	2	1/8"	40	80	7"
463	STD	3.2500	5.5000	5.625	3.375	2	1/8"	50	90	7"
418	STD	3.2500	7.0000	7.125	3.375	2	1/8"	40	57	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8402	STD	3.2500	8.5000	8.625	3.375	2	.125	40	138	13"
8289	STD	3.2500	10.0000	10.125	3.375	2	1/8"	40	81	13"
669	STD	3.2500	14.0000	14.125	3.375	1	.125	50	113	7"
479	STD	3.3464	3.2677	3.4375		1	1/8"	50	55	7"
8135	STD	3.3700	1.1800	1.375		1	1/16"	50	99	13"
93	STD	3.3750	.7500	0.875		1	1/16"	40	42	7"
119	STD	3.3750	1.3750	1.5		1	1/8"	40	48	7"
8100	STD	3.3750	1.3750	1.5		1	1/8"	50	96	13"
8105	STD	3.3750	2.0000	2.125		1	1/16"	40	85	13"
209	STD	3.3750	2.5000	2.625		1	1/8"	40	63	7"
267	STD	3.3750	2.5000	2.625		1	1/4"	40	63	7"
661	STD	3.3750	4.7500	4.875		1	.125	40	78	7"
8144	STD	3.4200	1.2800	1.4643		1	1/16"	55	82	13"
8222	STD	3.4375	3.0625	3.1875		1	7/16"	50	51	7"
650	STD	3.4600	10.8700	11		1	1/8"	40	88	7"
7058	STD	3.4646	10.8661	11	3.5896	3	3mm	40	89	13"
13	STD	3.5000	.8750	1		1	1/8"	40	40	7"
8141	STD	3.5000	.8750	1		1	1/8"	50	64	7"
304	STD	3.5000	.9375	1		1	1/16"	50	56	7"
54	STD	3.5000	1.0000	1.125		1	1/8"	50	54	7"
8081	STD	3.5000	1.0000	1.125		1	1/8"	50	99	13"
8126	STD	3.5000	1.0000	1.125		1	1/8"	50	99	13"
8130	STD	3.5000	1.0000	1.125	3.625	2	1/8"	50	99	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8214	STD	3.5000	1.0000	1.125	3.625	3	1/8"	50	99	13"
546	STD	3.5000	1.1250	1.3125		1	1/8"	50	63	7"
364	STD	3.5000	1.3100	1.4375		1	1/32"	40	46	7"
145	STD	3.5000	1.3750	1.5		1	1/8"	40	48	7"
123	STD	3.5000	1.5000	1.625		1	1/8"	40	52	7"
8307	STD	3.5000	1.7500	1.875		1	.125	50	90	13"
126	STD	3.5000	2.0000	2.125		1	1/8"	40	51	7"
263	STD	3.5000	2.5000	2.625		1	1/8"	40	63	7"
7036	STD	3.5000	2.5000	2.625	3.625	3	1/8"	40	84	13"
217	STD	3.5000	2.7500	2.875		1	1/8"	40	46	7"
505	STD	3.5000	2.7500	2.875		1	1/8"	50	69	7"
8193	STD	3.5000	3.0000	3.125	3.625	3	1/8"	40	100	13"
193	STD	3.5000	3.5000	3.625		1	1/8"	40	58	7"
7009	STD	3.5000	3.5000	3.625	3.625	3	1/8"	40	87	13"
8094	STD	3.5000	3.5000	3.625	3.625	3	1/8"	40	87	13"
8413	STD	3.5000	3.5000	3.625	3.625	3	.125	40	87	13"
211	STD	3.5000	3.7500	3.875	3.625	2	1/8"	40	62	7"
8272	STD	3.5000	4.0000	4.125		1	1/8"	40	99	13"
254	STD	3.5000	4.7500	4.875		1	1/8"	40	78	7"
520	STD	3.5000	5.0000	5.125		1	1/8"	50	82	7"
7047	STD	3.5000	5.0000	5.125	3.625	2	1/8"	40	82	13"
110	STD	3.5000	5.5000	5.625		1	1/8"	50	90	7"
8023	STD	3.5000	6.0000	6.125	3.625	2	1/8"	50	98	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
354	STD	3.5000	6.3750	6.5		1	1/8"	40	52	7"
59	STD	3.5000	6.7500	6.875		1	1/8"	50	55	7"
620	STD	3.5000	7.0000	7.125		1	5/16"	50	57	7"
663	STD	3.5000	7.0000	7.125		1	.125	40	57	7"
582	STD	3.5000	7.5000	7.625		1	1/8"	50	61	7"
87	STD	3.5000	7.8750	8		1	1/8"	50	64	7"
223	STD	3.5000	8.0000	8.125		1	1/8"	50	65	7"
58	STD	3.5000	8.5000	8.625		1	1/8"	50	69	7"
645	STD	3.5000	12.0000	12.125		1	1/8"	50	97	7"
7026	STD	3.5000	12.0000	12.125	3.625	2	1/8"	50	97	13"
8407	STD	3.5000	14.0000	14.25	3.625	1	.125	50	114	13"
313	STD	3.5040	.7090	0.875		1	1/8"	40	56	7"
8418	STD	3.5433	.7362	0.875	3.6683	2	.125	50	98	13
8315	STD	3.5984	2.5984	2.7813	3.7234	3	.125	40	89	13"
484	STD	3.6250	1.2500	1.375		1	1/8"	40	55	7"
485	STD	3.6250	2.5000	2.625		1	1/8"	40	63	7"
7039	STD	3.6250	2.6250	2.75	3.75	3	1/8"	40	88	13"
8428	STD	3.6250	2.6250	2.7813	3.75	3	.125	50	89	13
662	STD	3.6800	2.5000	2.625	3.68	1	.0625	40	63	7"
8157	STD	3.7401	1.5748	1.7083		1	1/16"	40	82	13"
199	STD	3.7402	4.1338	4.3125		1	1/8"	40	69	7'
640	STD	3.7500	.6250	0.75		1	.10"	50	60	7"
8179	STD	3.7500	1.5000	1.625		1	1/8"	50	104	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8227	STD	3.7500	2.0000	2.125		1	1/8"	50	85	13"
509	STD	3.7500	2.1250	2.25		1	1/8"	50	54	7"
433	STD	3.7500	2.1875	2.3125		1	1/8"	40	74	7"
231	STD	3.7500	2.3125	2.45		1	1/8"	50	98	7"
120	STD	3.7500	3.8750	4		1	1/8"	40	64	7"
8082	STD	3.7500	3.8750	4	3.75	1	1/8"	40	64	7"
8083	STD	3.7500	3.8750	4	3.875	3	1/8"	40	96	13"
7012	STD	3.7500	5.2500	5.375	3.875	3	1/8"	40	129	13"
7057	STD	3.7500	5.3500	5.5	3.875	3	1/8"	40	88	13"
8180	STD	3.8582	.9843	1.125		1	1/32"	40	99	13"
347	STD	3.8750	1.6250	1.75		1	.04"	50	56	7"
266	STD	3.8750	3.0000	3.125		1	1/4"	40	50	7"
312	STD	3.8750	3.0000	3.125		1	1/4" AP	50	50	7"
8075	STD	3.8750	3.8750	4		1	7/16"	50	64	7"
527	STD	3.9370	.9842	1.1094		1	2mm	50	71	7"
8330	STD	3.9370	1.5748	1.75	4.062	1	.0625	50	56	830 7"
8349	STD	3.9370	1.5748	1.75	4.062	1	0	50	56	7"
8160	STD	4.0000	.3800	0.506		1	1/32"	50	85	13"
284	STD	4.0000	.5000	0.625		1	1/16"	40	50	7"
388	STD	4.0000	.6000	0.725		1	1/32"	50	58	7"
503	STD	4.0000	.6250	0.75		1	1/8"	50	54	7"
281	STD	4.0000	.7500	0.875	4.125	1	1/16"	40	56	7"
502	STD	4.0000	1.0000	1.125		1	1/8"	50	54	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
7016	STD	4.0000	1.0000	1.125	4.125	2	1/8"	40	72	13"
9	STD	4.0000	1.0000	1.125		1	1/8"	40	45	7"
8358	STD	4.0000	1.1250	1.25	4.125	1	.125	40	50	7"
465	STD	4.0000	1.1500	1.275		1	.10"	50	51	7"
143	STD	4.0000	1.2500	1.375		1	1/8"	40	55	7"
8328	STD	4.0000	1.2500	1.4	4	1	.0625	50	56	7"
8353	STD	4.0000	1.2519	1.3906	4.125	1	.1259	50	89	13"
275	STD	4.0000	1.4370	1.5		1	.118"	50	60	7"
124	STD	4.0000	1.5000	1.625		1	1/8"	40	52	7"
581	STD	4.0000	1.5000	1.625		1	1/8"	50	52	7"
370	STD	4.0000	1.6250	1.75		1	1/8"	40	56	7"
234	STD	4.0000	1.7500	1.875		1	1/8"	50	45	7"
31	STD	4.0000	2.0000	2.125		1	1/8"	40	51	7"
519	STD	4.0000	2.0000	2.125		1	1/8"	50	68	7"
7042	STD	4.0000	2.0000	2.125	4.125	2	1/8"	50	85	13"
7050	STD	4.0000	2.0000	2.125	4.125	3	1/8"	40	102	13"
8017	STD	4.0000	2.0000	2.125	4.125	3	1/8"	40	85	13"
8161	STD	4.0000	2.0000	2.125	4.125	2	1/8"	40	85	13"
8422	STD	4.0000	2.1250	2.25	4.125	1	.125	40	90	13
33	STD	4.0000	2.2500	2.375		1	1/8"	40	57	7"
462	STD	4.0000	2.5000	2.625		1	1/8"	40	63	7"
5001	STD	4.0000	2.5000	2.625	4.125	3	1/8"	40	105	13"
8021	STD	4.0000	2.5000	2.6563		1	.10"	50	85	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8068	STD	4.0000	2.5000	2.6563		1	1/8"	50	85	13"
642	STD	4.0000	2.7500	2.875		1	.157"	50	46	7"
175	STD	4.0000	2.8750	3		1	3/16"	40	48	7"
6000	STD	4.0000	3.0000	3.125	4.125	4	.125	40	125	17
611	STD	4.0000	3.0000	3.125		1	1/8"	50	50	7"
66	STD	4.0000	3.0000	3.125	4.125	1	1/8"	40	50	7"
7025	STD	4.0000	3.0000	3.125	4.125	3	1/8"	40	100	13"
8225	STD	4.0000	3.0000	3.125		1	1/8"	50	50	7"
8420	STD	4.0000	3.0000	3.125	4.125	3	.125	40	100	13"
551	STD	4.0000	3.2500	3.375		1	1/8"	50	54	7"
8329	STD	4.0000	3.3300	3.5	4.125	1	.125	40	56	
240	STD	4.0000	3.5000	3.625		1	1/8"	50	58	7"
14	STD	4.0000	4.0000	4.125		1	1/8"	40	66	7"
7022	STD	4.0000	4.0000	4.125	4.125	3	1/8"	40	99	13"
5015	STD	4.0000	5.0000	5.125	4.125	3	1/8"	40	123	13"
8158	STD	4.0000	5.0000	5.125		1	1/8"	50	82	13"
8379	STD	4.0000	5.0000	5.125	4.125	3	.125	40	82	13"
95	STD	4.0000	5.0000	5.125		1	1/8"	40	82	7"
4000	STD	4.0000	6.0000	6.25	4.25	2	1/64"	50	100	10"
5	STD	4.0000	6.0000	6.125	4.125	1	1/8"	40	49	7"
6001	STD	4.0000	6.0000	6.125	4.125	4	.125	40	147	17"
612	STD	4.0000	6.0000	6.125		1	1/8"	50	49	7"
677	STD	4.0000	6.0000	6.125	4.125	1	.125		98	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
7001	STD	4.0000	6.0000	6.125	4.125	3	1/8"	40	98	13"
8006	STD	4.0000	6.0000	6.125	4.125	3	1/8"	50	98	13"
8018	STD	4.0000	6.0000	6.125	4.125	3	1/8"	40	98	13"
8188	STD	4.0000	6.0000	6.125	4.125	2	1/8"	50	98	13"
8211	STD	4.0000	6.0000	6.125	4.125	2	1/8"	40	98	13"
8291	STD	4.0000	6.3750	6.5	4.125	3	1/8"	40	104	13"
2	STD	4.0000	6.5000	6.625		1	1/8"	40	53	7"
7008	STD	4.0000	6.5000	6.625	4.125	2	1/8"	40	106	13"
7014	STD	4.0000	6.5000	6.625	4.125	3	1/8"	40	106	13"
8286	STD	4.0000	6.5000	6.625	4.125	3	1/8"	40	106	13"
584	STD	4.0000	7.0000	7.125		1	1/8"	50	57	7"
203	STD	4.0000	7.2500	7.375		1	3/16"	40	59	7"
402	STD	4.0000	7.2500	8.5		1	1/8"	50	68	7"
586	STD	4.0000	7.2500	7.375		1	1/8"	50	59	7"
420	STD	4.0000	8.0000	8.125		1	1/8"	50	65	7"
514	STD	4.0000	8.0000	8.125		1	1/8"	2	65	7"
7030	STD	4.0000	8.0000	8.125	4.125	3	1/8"	40	130	13"
7044	STD	4.0000	8.0000	8.125	4.125	2	1/8"	40	130	13"
648	STD	4.0000	9.0000	9.125		1	1/8"	50	73	7"
7028	STD	4.0000	9.0000	9.125	4.125	2	1/8"	40	73	13"
7035	STD	4.0000	9.0000	9.125	4.125	2	1/8"	40	73	13"
82	STD	4.0000	9.0000	9.125		1	1/8"	40	73	7"
630	STD	4.0000	10.0000	10.125		1	1/8"	50	81	7"



**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8213	STD	4.0000	10.0000	10.125	4.125	3	1/8"	50	81	13"
8266	STD	4.0000	10.0000	10.125		1	Auto apply	40	81	13"
8311	STD	4.0000	10.0000	10.125	4.125	3	.125	40	81	13"
105	STD	4.0000	11.0000	11.125		1	1/8"	40	89	7"
7006	STD	4.0000	12.0000	12.125	4.125	3	1/8"	40	97	13"
104	STD	4.0000	13.0000	13.125		1	1/8"	40	105	7"
7049	STD	4.0000	19.5000	19.625	4.125	2	1/8"	40	157	13"
188	STD	4.0157	.6692	0.8125		1	1/32"	40	52	7"
573	STD	4.0157	.6692	0.8125		1	1/32"	50	52	7"
610	STD	4.0157	.6692	0.8125		1	1/32"	50	52	7"
8076	STD	4.0157	.6692	0.8125	4.1407	2	1/32"	50	104	13"
8268	STD	4.1000	1.6300	1.75		1	1/8"	50	56	7"
8302	STD	4.1000	3.5000	3.625		1	.125	50	87	13"
8308	STD	4.1000	6.5000	6.625	4.1	1	.125	50	106	13"
646	STD	4.1000	9.5000	9.625		1	1/8"	50	77	7"
8149	STD	4.1250	1.0000	1.125		1	1/16"	50	99	13"
481	STD	4.1250	2.7500	2.875		1	1/8"	40	46	7"
8191	STD	4.1250	6.2500	6.5		1	1/8"	40	104	13"
7003	STD	4.1875	1.6250	1.75	4.3125	2	1/8"	40	84	13"
7004	STD	4.1875	3.0000	3.125	4.3125	2	1/8"	40	75	13"
232	STD	4.2500	1.0000	1.125		1	1/8"	40	45	7"
8122	STD	4.2500	1.0000	1.1429		1	1/16"	40	64	7"
8121	STD	4.2500	1.7500	2		1	1/8"	40	64	7"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
493	STD	4.2500	2.5000	2.625		1	1/8"	40	63	7"
310	STD	4.2500	2.6250	2.75		1	1/8"	40	66	7"
8424	STD	4.2500	4.2500	4.417	4.375	2	.125	40	106	13
8373	STD	4.2500	5.3750	5.5625	4.375	2	.125	40	89	13"
7	STD	4.2500	5.7500	5.875		1	1/8"	40	47	7"
5012	STD	4.2500	8.5000	8.625	4.375	2	1/8"	40	69	10"
8433	STD	4.3229	6.0985	6.25	4.4479	1	.125	50	100	13"
521	STD	4.3307	3.1496	3.2917		1	1/32"	50	79	7"
101	STD	4.3750	1.3750	1.5		1	1/8"	40	48	7"
449	STD	4.3750	1.6000	1.71875		1	1/8"	50	55	7"
208	STD	4.3750	3.2500	3.375		1	1/8"	40	54	7"
142	STD	4.3750	3.7500	3.875		1	1/8"	40	62	7"
440	STD	4.3750	5.2500	5.375		1	1/8"	50	86	7"
7017	STD	4.3750	8.3750	8.5	4.5	2	1/8"	40	136	13"
8040	STD	4.5000	.1630	0.2963		1	1/64"	50	64	7"
144	STD	4.5000	1.0000	1.125		1	1/8"	40	63	7"
8095	STD	4.5000	1.0000	1.125		1	1/8"	50	99	13"
269	STD	4.5000	1.5000	1.625		1	1/8"	40	52	7"
128	STD	4.5000	2.5000	2.625		1	1/8"	40	63	7"
265	STD	4.5000	3.0000	3.25		1	1/8"	40	52	7"
300	STD	4.5000	3.0000	3.125		1	1/8"	40	50	7"
288	STD	4.5000	3.4375	3.5		1	1/8"	40	56	7"
264	STD	4.5000	6.5000	6.625	4.625	1	1/8"	40	53	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
224	STD	4.5000	7.0000	7.125		1	1/8"	50	57	7"
601	STD	4.5000	9.0000	9.125		1	1/8"	40	73	7"
5019	STD	4.6250	2.5000	2.75		1	1/16"	50	88	13"
8439	STD	4.7500	1.5000	1.625	4.875	1	.125	55	104	13"
8275	STD	4.7500	2.2500	2.375	4.875	2	1/8"	40	114	13"
246	STD	4.7500	6.0000	6.125		1	1/4"	40	49	7"
5017	STD	4.7500	6.0000	6.125	4.875	2	1/4"	40	98	13"
8314	STD	4.7500	10.0000	10.125	4.75	1	.125	50	81	13"
8231	STD	4.9212	5.3149	5.4375	5.0462	2	1/64"	40	87	13"
293	STD	5.0000	.7000	0.875		1	1/16"	40	56	7"
8036	STD	5.0000	.7000	0.89		1	1/16"	50	64	7"
8111	STD	5.0000	.7000	0.875		1	1/16"	50	98	13"
561	STD	5.0000	1.0000	1.125		1	1/8"	50	54	7"
599	STD	5.0000	1.2500	1.375		1	1/16"	40	55	7"
25	STD	5.0000	1.5000	1.625		1	1/8"	40	52	7"
8359	STD	5.0000	1.7500	1.875	5.125	1	.125	40	90	13"
451	STD	5.0000	2.0000	2.125		1	1/8"	40	51	7"
299	STD	5.0000	2.3750	2.5		1	1/8"	50	60	7"
259	STD	5.0000	2.8750	3		1	1/8"	40	72	7"
4	STD	5.0000	3.0000	3.125		1	1/8"	40	50	7"
7015	STD	5.0000	3.0000	3.125	5.125	2	1/8"	40	100	13"
27	STD	5.0000	3.2500	3.375		1	1/8"	40	54	7"
542	STD	5.0000	4.0000	4.125		1	1/8"	50	66	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8401	STD	5.0000	5.0000	5.125	5.125	1	.125	50	82	13"
252	STD	5.0000	5.5000	5.625		1	1/8"	50	45	7"
622	STD	5.0000	5.5000	5.625		1	1/8"	50	90	7"
636	STD	5.0000	5.5000	5.625		1	1/8"	40	90	7"
8172	STD	5.0000	5.5000	5.625	5.125	2	1/8"	40	90	13"
153	STD	5.0000	6.0000	6.125		1	1/8"	40	49	7"
111	STD	5.0000	6.8750	7		1	1/8"	40	56	7"
8406	STD	5.0000	7.0000	7.125	5.125	1	.125	40	114	13"
156	STD	5.0000	8.0000	8.125		1	1/8"	40	65	7"
7027	STD	5.0000	8.0000	8.125	5.125	2	1/8"	40	130	13"
452	STD	5.0000	8.5000	8.625		1	1/8"	40	69	7"
220	STD	5.0000	9.0000	9.125		1	1/8"	50	73	7"
594	STD	5.0000	9.2500	9.375		1	1/8"	40	75	7"
8395	STD	5.0000	10.0000	10.125	5.125	1	.125	40	81	13"
8276	STD	5.0000	10.5000	10.625		1	1/8"	40	85	13"
8287	STD	5.0000	10.5000	10.625		1	1/8"	40	85	13"
7041	STD	5.0000	12.0000	12.125	5.125	2	1/8"	40	97	13"
8084	STD	5.0312	2.2812	2.45		1	5/16"	50	98	13"
8194	STD	5.0787	5.3149	5.4375	5.2037	2	1/64"	40	87	13"
274	STD	5.1250	11.0000	11.125		1	1/8"	40	89	7"
679	STD	5.1875	6.7500	6.875	5.3125	1	.125	40	55	7"
8429	STD	5.2362	1.5748	1.7083	5.3612	1	.125	50	82	13
8143	STD	5.2500	.9000	1.0313		1	1/16"	50	99	13"

## Dies

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
626	STD	5.2500	5.2500	5.375		1	1/16"	40	86	7"
8344	STD	5.2500	6.0000	6.125	5.375	1	.125	40	98	13"
345	STD	5.5000	.7500	0.875		1	1/16"	40	56	7"
8106	STD	5.5000	1.0000	1.125		1	1/16"	50	99	13"
8124	STD	5.5000	1.2500	1.375		1	1/16"	40	99	13"
8138	STD	5.5000	1.5000	1.625		1	1/8"	40	104	13"
8312	STD	5.5000	2.9375	3.0625	5.5	1	.125	40	98	13"
273	STD	5.5000	3.3750	3.5		1	1/8"	40	56	7"
146	STD	5.5000	4.0000	4.125		1	1/8"	40	66	7"
7052	STD	5.5000	4.3750	4.5		1	1/8"	40	72	13"
8103	STD	5.5000	6.0000	6.125		1	3/16"	50	98	13"
7046	STD	5.5000	6.8750	7	5.625	2	1/8"	40	112	13"
655	STD	5.5000	7.5000	7.625		1	1/16"	40	61	7"
325	STD	5.5000	8.0000	8.125		1	1/8"	40	65	7"
219	STD	5.5000	8.5000	8.625		1	1/8"	50	69	7"
164	STD	5.5000	9.5000	9.625		1	1/8"	40	77	7"
165	STD	5.5000	13.0000	13.125		1	1/8"	40	105	7"
476	STD	5.6250	1.3750	1.5		1	1/16"	40	48	7"
387	STD	5.7500	1.0000	1.125		1	1/16"	50	54	7"
337	STD	5.7500	1.7500	1.875		1	1/8"	40	60	7"
276	STD	5.7500	2.9375	3		1	1/8"	50	72	7"
568	STD	5.7500	7.4375	7.625		1	1/8"	40	61	7"
422	STD	5.8125	8.2500	8.375		1	1/8"	40	67	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
8403	STD	5.8750	8.5000	8.625	6	1	.125	40	138	13"
664	STD	5.9000	6.7000	6.875		1	.125	40	55	7"
8317	STD	5.9000	7.8740	8		1	.125	40	64	7"
8058	STD	6.0000	.4000	0.5334		1	1/32"	50	64	7"
518	STD	6.0000	.7500	0.875		1	1/16"	50	56	7"
201	STD	6.0000	1.0000	1.125		1	1/8"	40	54	7"
8243	STD	6.0000	1.0000	1.125		1	1/8"	50	90	13"
8322	STD	6.0000	1.0000	1.125		1	.125	40	90	13
356	STD	6.0000	1.5000	1.625		1	1/8"	40	52	7"
330	STD	6.0000	1.7500	1.875		1	1/8"	40	60	7"
8411	STD	6.0000	1.7500	1.875	6.125	1	.125	50	90	13"
322	STD	6.0000	2.0000	2.125		1	1/8"	40	68	7"
8109	STD	6.0000	2.0000	2.125		1	1/8"	50	85	13"
8234	STD	6.0000	2.0000	2.125	6.125	2	1/8"	50	85	13"
616	STD	6.0000	3.0000	3.125		1	1/8"	40	75	7"
283	STD	6.0000	4.0000	4.125		1	1/8"	40	66	7"
8048	STD	6.0000	4.0000	4.125	6.125	2	1/8"	40	99	13"
262	STD	6.0000	5.0000	5.125		1	3/16"	50	82	7"
207	STD	6.0000	5.5000	5.625		1	1/8"	40	45	7"
358	STD	6.0000	6.0000	6.125		1	1/8"	40	49	7"
8189	STD	6.0000	6.0000	6.125		1	1/8"	50	98	13"
8441	STD	6.0000	6.0000	6.125	6.125	2	.125	50	98	13"
315	STD	6.0000	6.5000	6.625		1	1/8"	40	53	7"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
340	STD	6.0000	7.0000	7.125		1	.019"	40	57	7"
607	STD	6.0000	7.0000	7.125		1	1/8"	50	57	7"
572	STD	6.0000	8.0000	8.125		1	1/8"	50	65	7"
7002	STD	6.0000	8.0000	8.125	6.125	2	1/8"	40	130	13"
8241	STD	6.0000	8.0000	8.125	6.125	2	1/8"	40	130	13"
317	STD	6.0000	9.0000	9.125		1	1/8"	40	73	7"
314	STD	6.0000	10.0000	10.125		1	1/8"	40	81	7"
651	STD	6.0000	10.0000	10.125		1	1/8"	50	81	7"
8269	STD	6.0000	10.0000	10.125	6.125	2	1/8"	40	81	13"
8270	STD	6.0000	10.0000	10.125		1	1/8"	40	81	13"
393	STD	6.0000	12.0000	12.125		1	1/8"	40	97	7"
359	STD	6.0000	13.0000	13.125		1	1/8"	40	105	7"
8301	STD	6.1420	.7500	0.875		1	.0625	50	56	7"
8123	STD	6.2500	1.0000	1.125		1	1/16"	40	64	7"
446	STD	6.2500	1.7500	1.875		1	1/16"	40	60	7"
8013	STD	6.2500	1.8750	2		1	1/64"	50	64	7"
588	STD	6.2500	2.8750	3		1	1/8"	50	48	7"
652	STD	6.2500	12.0000	12.125		1	1/8"	40	97	7"
676	STD	6.5000	2.5000	2.625	6.625	1	.125	40	63	7"
676-2	STD	6.5000	2.5000	2.625	6.625	1	.125	40	63	7"
374	STD	6.5000	4.0000	4.125		1	1/8"	40	66	7"
468	STD	6.5000	4.0000	4.125		1	1/8"	50	66	7"
8345	STD	6.5000	6.5000	6.625	6.625	1	.125	40	106	13"

**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
132	STD	6.5000	6.8750	7		1	1/8"	40	56	7"
8261	STD	6.5000	10.0000	10.125		1	1/8"	40	81	13"
613	STD	6.5000	10.2500	10.375		1	1/8"	50	83	7"
8107	STD	6.7500	1.0000	1.125		1	1/16"	50	99	13"
415	STD	6.7717	4.7244	4.875		1	1/8"	40	78	7"
8430	STD	6.8897	7.8741	8.125	7.0147	1	.125	50	130	13
8417	STD	6.8898	6.8898	7.125	7.0148	1	.125	50	114	13"
8434	STD	6.9528	6.0985	6.25	7.0778	1	.125	50	100	13"
7061	STD	7.0000	9.2500	9.375		1	1/8"	40	75	13"
7060	STD	7.0000	12.7500	12.875		1	1/8"	40	103	13"
4003	STD	7.1250	23.0000	23.125		1	1/8"	50	185	10"
7033	STD	7.3300	1.6500	1.775		1	1/8"	50	71	13"
8396	STD	7.3750	8.5000	8.625	7.5	1	.125	40	138	13"
7064	STD	7.4370	6.1875	6.3125	7.562	1	.125	40	101	13"
8115	STD	7.5000	1.5000	1.625		1	1/16"	40	104	13"
7032	STD	7.5000	11.5000	11.625		1	1/8"	40	93	13"
7062	STD	7.5000	15.0000	15.125		1	1/8"	50	121	13"
5008	STD	7.7500	.9375	1		1	1/8"	50	80	13"
8352	STD	7.9843	1.5748	1.7083	8.1093	1		50	82	13"
8137	STD	8.0000	1.0000	1.125		1	1/16"	40	99	13"
4001	STD	8.0000	1.2500	1.375		1	1/8"	40	66	10"
8125	STD	8.0000	2.0000	2.125		1	1/8"	40	85	13"
7040	STD	8.0000	6.2500	6.375		1	1/8"	40	102	13"



**Dies**

Die#	Type	Width	Length	Repeat (vert)	Repeat (horz)	Labels Across	Corner Radius	Liner Weight	Teeth	Press
5005	STD	8.0000	6.8750	7		1	1/8"	40	112	13"
5013	STD	8.0000	9.1250	9.25		1	1/8"	50	74	10"
5011	STD	8.0000	10.0000	10.125		1	1/8"	50	81	13"
7007	STD	8.2500	4.9375	5		1	1/8"	50	80	13"
8419	STD	8.2500	5.6000	5.75	8.375	1	.125	50	138	13"
4002	STD	8.3750	10.8750	11		1	1/8"	40	88	10"
7005	STD	8.5000	5.5000	5.625		1	1/8"	50	90	13"
7011	STD	8.5000	5.5000	5.625		1	1/8"	40	90	13"
7043	STD	8.5000	5.5000	5.625		1	1/8"	40	90	13"
7056	STD	8.5000	9.1250	9.25		1	1/8"	50	74	13"
5014	STD	8.5000	11.0000	11.125		1	1/8"	50	89	10"
8080	STD	8.5000	12.1250	12.25		1	1/8"	40	98	13"
7037	STD	8.5000	14.0000	14.125		1	1/8"	50	113	13"
7021	STD	8.5000	16.0000	16.125		1	1/8"	40	129	13"
7059	STD	9.0000	9.0000	9.125		1	1/4"	40	73	13"
7063	STD	9.0000	11.0000	11.125	9	1	.125	50	89	13"
8099	STD	9.8425	1.6142	1.75		1	1/64"	50	98	13"
7031	STD	10.0000	16.0000	16.125		1	1/8"	40	129	13"
7019	STD	10.7500	16.7500	17		1	1/8"	60	136	13"

Total: 1,123